1975

ARITEKS

FUNCTION FOR FLEXIBLE FABRICS



BUILDING

HOME

PROTECTION

MEDICAL

SPORT

TRANSPORT

CLOTH

AGRICULTURE

ENVIRONMENT

MACHINE

GEOLOGY

PACKAGE

2019 Ariteks Technical Fabrics



Ariteks, founded as a family owned business in 1975, is the leading textile manufacturer company both in fashion and technical textiles.

By continuously developing high-end technologies it provides solutions to end users in apparel, protective workwear, functional sport, medical wear as well as technical textiles in construction and transportation industries.

As the pioneer company in special dyeing methods like indigo, vat, space-dye, coating and laminating systems, Ariteks produces highest-quality fabrics both for international and domestic markets.

Ariteks uses clean and renewable energy resources. It consumes minimum amount of water by using continuous optimised systems.

Based in 14000m² with 12 separate in house R&D laboratories, the company spends 5% of its budget for research and developing future technologies. It focuses especially on 3rd generation solar cells on flexible fabrics and biosensing textiles.

ARITEKS

FASHION

- FUNCTIONAL APPAREL TEXTILES
- JACQUARD FABRICS
- INDIGO DYED FABRICS
- SPACES DYED FABRICS
- BLENDED FABRICS
- PLAIN DYED FABRICS

TECHNICAL TEXTILES

- COATED TEXTILES
- LAMINATED TEXTILES
- VAT DYED TEXTILES

ENERGY

- 3TH GENERATION SOLAR CELLS
- SOLAR WATER PURIFICATION
- NANO CHEMICALS

BUILDING

1975

ARITEKS

FUNCTION FOR FLEXIBLE FABRICS



HOME

1975

ARITEKS


FUNCTION FOR FLEXIBLE FABRICS

PROTECTION

1975

ARITEKS

FUNCTION FOR FLEXIBLE FABRICS



ArNeo

Fluorescent Knit Fabrics for Safety Jackets



- EN 1149-5 — Antistatic
- EN 20471 — High Visibility
- EN 14116 — Flame Retardant
- EN 4920 — Water and Oil Repellent
- EN 343 — Rain Protection

1975
ARITEKS
FUNCTION FOR FLEXIBLE FABRICS

Phone: +90 212 538 05 98
Fax: +90 212 537 08 46
E-Mail: support@ariteksinfo.com
Web: www.ariteks.net

CONTENT

1 **ArNeo** — 150 gr/m², 100% Polyester — EN 20471

2 **ArNeo | Pro** — 150 gr/m², 100% Polyester — EN 20471, EN 14116

3 **ArNeo | Flame+Static Pro** — 150 gr/m², 99% Polyester 1% Carbon — EN 20471, EN 14116, EN 1149-5

4 **ArNeo | Eco** — 120 gr/m², 100% Polyester — EN 20471

5 **ArNeo | Eco +R400** — 120 gr/m², 100% Polyester, Reflective Strips Laminated Knit Fabric — EN 20471

6 **ArNeo | Color** — 120 gr/m², 100% Polyester, Warp Knit Fabric

7 **ArNeo | File** — 120 gr/m², 100% Polyester — EN 20471

8 **ArNeo | Color File** — 120 gr/m², 100% Polyester, Mesh Knit Fabric

9 **ArNeo | Dirt Pro** — 150 gr/m², 100% Polyester — EN 20471, EN 4920

10 **ArNeo | Super Eco** — 75 gr/m², 100% Polyester, High Visible Knit Fabric

11 **ArNeo | Super Eco +R50** — 75 gr/m², 100% Polyester, Brillant Strips Laminated, High Visible Knit Fabric

12 **ArNeo | Light** — 70 gr/m², 100% Polyester, High Visible Knit Fabric

13 **ArNeo | Light +R50** — 70 gr/m², 100% Polyester, Brillant Strips Laminated, High Visible Knit Fabric

14 **ArNeo | Light +R400** — 70 gr/m², 100% Polyester, Reflective Strips Laminated, High Visible Knit Fabric

15 **ArNeo | Color Light** — 70 gr/m², 100% Polyester, Knit Fabric

ArShirtNeo

100% COTTON

FLUORESCENT FABRICS



HIGH VISIBILITY

1975
ARITEKS
FUNCTION FOR FLEXIBLE FABRICS


Phone: +90 212 538 05 98
Fax: +90 212 537 08 46
E-Mail: support@ariteksinfo.com
Web: www.ariteks.net

CONTENT

1 **ArShirtNeo**
220 gr/m², 100% Cotton, Pique, High Visible Knit Fabric

ArShirt

100% Cotton Vat Dyed
Antistatic and Modacrylic
Inherent Flame Retardant
Knit Fabrics



1975
ARITEKS
FUNCTION FOR FLEXIBLE FABRICS

Phone: +90 212 538 05 98
Fax: +90 212 537 08 46
E-Mail: support@ariteksinfo.com
Web: www.ariteks.net

CONTENT

1 **ArShirt**
220 gr/m², 100% Cotton, Pique, Vat Dyed Knit Fabric
EN 13758-2

2 **ArShirt | Static Pro**
220 gr/m², 97% Cotton 3% Carbon, Pique, Vat Dyed Knit Fabric
EN 1149-5 EN 61340-5-1

3 **ArShirt | Moda Pro**
220 gr/m², 60% Modacrylic 38% Cotton 2% Carbon, Pique Knit Fabric
EN 1149-5 EN 11612 EN 61482 EN 20471

4 **ArSuprem**
220 gr/m², 100% Cotton, Single Jersey, Vat Dyed Knit Fabric
EN 13758-2

5 **ArSuprem | Static Pro**
220 gr/m², 97% Cotton 3% Carbon, Single Jersey, Vat Dyed Knit Fabric
EN 1149-5 EN 61340-5-1

6 **ArSuprem | Moda Pro**
220 gr/m², 60% Modacrylic 38% Cotton 2% Carbon, Jersey Knit Fabric
EN 1149-5 EN 11612 EN 61482 EN 20471

ArBir

Woven like Knit Fabrics for Bodywarmers, Jackets and Raincoats



EN 20471 **High Visibility**

EN 343 **Waterproof**

EN 13034 **Chemical Resistant**

1975 ARITEKS
FUNCTION FOR FLEXIBLE FABRICS

Phone: +90 212 538 05 98
Fax: +90 212 537 08 46
E-Mail: support@ariteksinfo.com
Web: www.ariteks.net

CONTENT

1 **ArBir**
140 gr/m², 100% Polyester, Woven Like Knit Fabric

2 **ArBir | Su Itici**
140 gr/m², 100% Polyester, Woven Like Knit Fabric

3 **ArBir | Su Itici / Su Geçirmez**
160 gr/m², 75% Polyester 25% Polyurethane,
Woven Like Knit Fabric

4 **ArBir | 200**
220 gr/m², 100% Polyester, Woven Like Knit Fabric

ArWoWear

SOFT SERIES

Economical WorkWear Fabrics



EN 4920

Water and Oil Repellent

1975 ARITEKS
FUNCTION FOR FLEXIBLE FABRICS

Phone: +90 212 538 05 98
Fax: +90 212 537 08 46
E-Mail: support@ariteksinfo.com
Web: www.ariteks.net

CONTENT

1 **ArWoWear | T2 Soft** ..... EN 4920
245 gr/m², 100% Cotton, 3/1S Twill Fabric

2 **ArWoWear | T4 Soft** ..... EN 4920
200 gr/m², 65% Polyester 35% Cotton, 2/1S Twill Fabric

3 **ArWoWear | T5 Soft** ..... EN 4920
245 gr/m², 65% Polyester 35% Cotton, 3/1S Twill Fabric

4 **ArWoWear | T6 Soft** ..... EN 4920
200 gr/m², 60% Cotton 40% Polyester, 2/1S Twill Fabric

5 **ArWoWear | T7 Soft** ..... EN 4920
245 gr/m², 60% Cotton 40% Polyester, 3/1S Twill Fabric

6 **ArWoWear | T11 Soft** ..... EN 4920
390 gr/m², 100% Cotton, 3/1S Twill Fabric

ArWoWear

STATIC PRO SERIES

Antistatic Twill WorkWear Fabrics



1975
ARITEKS
FUNCTION FOR FLEXIBLE FABRICS

Phone: +90 212 538 05 98
Fax: +90 212 537 08 46
E-Mail: support@ariteksinfo.com
Web: www.ariteks.net

CONTENT

1 **ArWoWear | T2 Static Pro**
245 gr/m², 99% Cotton 1% Carbon, 3/1S Twill Fabric

2 **ArWoWear | T4 Static Pro**
200 gr/m², 64% Polyester 35% Cotton 1% Carbon, 2/1S Twill Fabric

3 **ArWoWear | T5 Static Pro**
245 gr/m², 64% Polyester 35% Cotton 1% Carbon, 3/1S Twill Fabric

4 **ArWoWear | T11 Static Pro**
360 gr/m², 99% Cotton 1% Carbon, 3/1S Twill Fabric

5 **ArWoWear | T20 Static Pro**
260 gr/m², 79% Cotton 20% Polyester 1% Carbon, 3/1S Twill Fabric

6 **ArWoWear | T21 Static Pro**
330 gr/m², 79% Cotton 20% Polyester 1% Carbon, 3/1S Twill Fabric

EN 1149-5

ArWoWear

CHEMICAL PRO SERIES

Vat Dyed WorkWear Fabrics
Resistant to Industrial Chemicals



EN 13034

Chemical Resistant

1975
ARITEKS
FUNCTION FOR FLEXIBLE FABRICS

Phone: +90 212 538 05 98
Fax: +90 212 537 08 46
E-Mail: support@ariteksinfo.com
Web: www.ariteks.net

CONTENT

1 **ArWoWear | T2 Chem Pro** EN 13034
260 gr/m², 100% Cotton, VAT Dyed, 3/1S Twill Fabric

2 **ArWoWear | T4 Chem Pro** EN 13034
200 gr/m², 65% Polyester 35% Cotton, VAT Dyed, 2/1S Twill Fabric

3 **ArWoWear | T5 Chem Pro** EN 13034
245 gr/m², 65% Polyester 35% Cotton, VAT Dyed, 3/1S Twill Fabric

4 **ArWoWear | T6 Chem Pro** EN 13034
200 gr/m², 60% Cotton 40% Polyester, VAT Dyed, 2/1S Twill Fabric

5 **ArWoWear | T7 Chem Pro** EN 13034
245 gr/m², 60% Cotton 40% Polyester, VAT Dyed, 3/1S Twill Fabric

6 **ArWoWear | T11 Chem Pro** EN 13034
360 gr/m², 100% Cotton, Vat Dyed, 3/1S Twill Fabric

ArWoWear

FLAME PRO SERIES



Flame Retardant, Vat Dyed WorkWear Fabrics Resistant up to 100 Wash

EN 11612 **Heat and Flame Protection**

EN 11611 **Welding Protection**

EN 61482 **Electrical Arc Protection**

1975 ARITEKS
FUNCTION FOR FLEXIBLE FABRICS

Phone: +90 212 538 05 98
Fax: +90 212 537 08 46
E-Mail: support@ariteksinfo.com
Web: www.ariteks.net

CONTENT

1 **ArWoWear | T1 Flame Pro** ..... EN 11612
220 gr/m², 100% Cotton, VAT Dyed, 2/1S Twill Fabric

2 **ArWoWear | T2 Flame Pro** ..... EN 61482 EN 11612 EN 11611
260 gr/m², 100% Cotton, VAT Dyed, 3/1S Twill Fabric

3 **ArWoWear | T11 Flame Pro** ..... EN 61482 EN 11612 EN 11611
360 gr/m², 100% Cotton, VAT Dyed, 3/1S Twill Fabric

4 **ArWoWear | T12 Flame Pro** ..... EN 61482 EN 11612 EN 11611
450 gr/m², 100% Cotton, VAT Dyed, 4/1 Satin Fabric

5 **ArWoWear | T13 Flame Pro** ..... EN 61482 EN 11612 EN 11611
520 gr/m², 100% Cotton, VAT Dyed, 5/2 Satin Fabric

6 **ArWoWear | T20 Flame Pro** ..... EN 61482 EN 11612 EN 11611
260 gr/m², 80% Cotton 20% Polyester, VAT Dyed, 3/1S Twill Fabric

7 **ArWoWear | T21 Flame Pro** ..... EN 61482 EN 11612 EN 11611
330 gr/m², 80% Cotton 20% Polyester, VAT Dyed, 3/1S Twill Fabric

8 **ArWoWear | T30 Flame Pro** ..... EN 61482 EN 11612 EN 11611
260 gr/m², 90% Cotton 10% Polyamide, VAT Dyed, 3/1S Twill Fabric

9 **ArWoWear | T31 Flame Pro** ..... EN 61482 EN 11612 EN 11611
330 gr/m², 90% Cotton 10% Polyamide, VAT Dyed, 3/1S Twill Fabric

ArWoWear

FLAME+ARC PRO SERIES

Flame Retardant, Antistatic Vat Dyed, Workwear Fabrics Resistant up to 100 Wash



EN 11612
Heat and Flame Protection

EN 11611
Welding Protection

EN 61482
Electrical Arc Protection

EN 1149-5
Antistatic

1975
ARITEKS
FUNCTION FOR FLEXIBLE FABRICS

Phone: +90 212 538 05 98
Fax: +90 212 537 08 46
E-Mail: support@ariteksinfo.com
Web: www.ariteks.net

CONTENT

1 **ArWoWear | T0 Flame+Arc Pro** — EN 1149-5, EN 11612
150 gr/m², 99% Cotton 1% Carbon, VAT Dyed,
1/1 Plain Fabric

2 **ArWoWear | T1 Flame+Arc Pro** — EN 1149-5, EN 11612
220 gr/m², 99% Cotton 1% Carbon, VAT Dyed,
2/1S Twill Fabric

3 **ArWoWear | T2 Flame+Arc Pro** — EN 1149-5, EN 11612, EN 61482, EN 11611
260 gr/m², 99% Cotton 1% Carbon, VAT Dyed,
3/1S Twill Fabric

4 **ArWoWear | T11 Flame+Arc Pro** — EN 1149-5, EN 11612, EN 61482, EN 11611
360 gr/m², 99% Cotton 1% Carbon, VAT Dyed,
3/1S Twill Fabric

5 **ArWoWear | T20 Flame+Arc Pro** — EN 1149-5, EN 11612, EN 61482, EN 11611
260 gr/m², 79% Cotton 20% Polyester 1% Carbon,
VAT Dyed, 3/1S Twill Fabric

6 **ArWoWear | T21 Flame+Arc Pro** — EN 1149-5, EN 11612, EN 61482, EN 11611
330 gr/m², 79% Cotton 20% Polyester 1% Carbon,
VAT Dyed, 3/1S Twill Fabric

7 **ArWoWear | T30 Flame+Arc Pro** — EN 1149-5, EN 11612, EN 61482, EN 11611
260 gr/m², 89% Cotton 10% Polyamide 1% Carbon,
VAT Dyed, 3/1S Twill Fabric

8 **ArWoWear | T31 Flame+Arc Pro** — EN 1149-5, EN 11612, EN 61482, EN 11611
330 gr/m², 89% Cotton 10% Polyamide 1% Carbon,
VAT Dyed, 3/1S Twill Fabric

Aramid

Inherent Flame Retardant Aramid Fabrics

- EN 15614 — Forest Firefighters
- EN 11612 — Heat and Flame Protection
- EN 61482 — Electrical Arc Protection
- EN 1149-5 — Antistatic
- EN 11611 — Welding Protection
- EN 13034 — Chemical Resistant



1975
ARITEKS
FUNCTION FOR FLEXIBLE FABRICS

Phone: +90 212 538 05 98
Fax: +90 212 537 08 46
E-Mail: support@ariteksinfo.com
Web: www.ariteks.net

CONTENT

1 **Aramid | D0 150**
150 gr/m², 93% m-Aramid 5% p-Aramid 2% Carbon, 1/1 Plain Fabric


2 **Aramid | D1 210**
210 gr/m², 93% m-Aramid 5% p-Aramid 2% Carbon, 2/1S Twill Fabric



3 **Aramid | D2 260**
260 gr/m², 93% m-Aramid 5% p-Aramid 2% Carbon, 3/1S Twill Fabric


4 **Aramid | D3 200**
200 gr/m², 75% m-Aramid 23% p-Aramid 2% Carbon, 2/1S Twill Fabric


ArWoWear

MODA PRO SERIES

Inherent Flame Retardant Modacrylic Workwear Fabrics



- EN 20471 — High Visibility
- EN 11611 — Welding Protection
- EN 11612 — Flame and Heat Protection
- EN 1149-5 — Antistatic
- EN 61482 — Arc Protection
- EN 13034 — Chemical Resistant

1975 ARITEKS

FUNCTION FOR FLEXIBLE FABRICS

Phone: +90 212 538 05 98
Fax: +90 212 537 08 46
E-Mail: support@ariteksinfo.com
Web: www.ariteks.net

CONTENT

1 **ArWoWear | 260 Moda Pro**
260 gr/m², 60% Modacrylic 38% Cotton
2% Carbon, 3/1S Twill Fabric



2 **ArWoWear | 330 Moda Pro**
330 gr/m², 60% Modacrylic 38% Cotton
2% Carbon, 3/1S Twill Fabric



Arox

Polyester Wowen Fabrics for Raincoats, Jackets and Coveralls



EN 1149-5 — Antistatic

EN 343 — Rain Protection

EN 13034 — Water and Oil Repellent

EN 14116 — Flame Retardant

EN 20471 — High Visibility

1975

ARITEKS

FUNCTION FOR FLEXIBLE FABRICS

CONTENT

1 **Arox | T1 Static Pro**
110 gr/m², 99% Polyester 1% Carbon, 3/2 S Twill Fabric


2 **Arox | T2 Static Pro**
160 gr/m², 99% Polyester 1% Carbon, 2/1 S Twill Fabric


3 **Arox | T2 WR**
160 gr/m², 100% Polyester, 1/1 Plain Woven Fabric


4 **Arox | T4 WR/WP**
210 gr/m2, 75% Polyester 25% Polyurethane, Breathable, 1/1 Plain Woven Fabric


5 **Arox | T5 Multi**
250 gr/m², 75% Polyester 23% Polyurethane 2% Carbon, Breathable, 1/1 Plain Woven Fabric




ArGiyim

Ultra Durable
Ultra Breathable

Front Side Polyester
Back Side Cotton

PolyCotton Fabrics

EN 11612 | EN 13034 | EN 1149-5 | EN 61482 | EN 4920 | EN 20471

1975
ARITEKS
FUNCTION FOR FLEXIBLE FABRICS

Phone: +90 212 538 05 98
Fax: +90 212 537 08 46
E-Mail: support@ariteksinfo.com
Web: www.ariteks.net

CONTENT

1 **ArGiyim | 245**
245 gr/m², 80% Polyester 20% Cotton
3/1 S Twill Woven Fabric


2 **ArGiyim | 290**
290 gr/m², 80% Polyester 20% Cotton
4/1 Satin Woven Fabric


3 **ArGiyim | 245 Static Pro**
245 gr/m², 79% Polyester 20% Cotton 1% Carbon
3/1 S Twill Woven Fabric


4 **ArGiyim | Bird Eye**
180 gr/m², 50% Polyester 50% Cotton, Bird Eye Knit Fabric


5 **ArGiyim | Sultan**
330 gr/m², 49% Polyester 50% Cotton 1% Carbon
4/1 Satin Woven Fabric


MEDICAL

1975

ARITEKS

FUNCTION FOR FLEXIBLE FABRICS



ArMedi Medical Fabrics



EN 4920

Water and Oil Repellent

1975
ARITEKS
FUNCTION FOR FLEXIBLE FABRICS

Phone: +90 212 538 05 98
Fax: +90 212 537 08 46
E-Mail: support@ariteksinfo.com
Web: www.ariteks.net

CONTENT

1 **ArMedi**
180 gr/m², 75% Polyester 25% Viscose, 1/1 Plain Woven Fabric
EN 4920

ArMedi Antibacterial

Inherent Antibacterial Fabrics
(Silver Yarn Integrated)



EN 4920

Water and Oil Repellent

Antibacterial

Antibacterial

1975
ARITEKS
FUNCTION FOR FLEXIBLE FABRICS

Phone: +90 212 538 05 98
Fax: +90 212 537 08 46
E-Mail: support@ariteksinfo.com
Web: www.ariteks.net

CONTENT

1 **Arox | T2 WR / Antibac**
160 gr/m², 97% Polyester 3% Silver, 2/1 S Twill Fabric

2 **ArWoWear | T4 Antibac**
200 gr/m², 63% Polyester 34% Cotton 3% Silver, 2/1 S Twill Fabric

SPORT

1975

ARITEKS

FUNCTION FOR FLEXIBLE FABRICS

Arof

Track Suit and Light Mesh Fabrics



1975
ARITEKS
FUNCTION FOR FLEXIBLE FABRICS

Phone: +90 212 538 05 98
Fax: +90 212 537 08 46
E-Mail: support@ariteksinfo.com
Web: www.ariteks.net

CONTENT

1 **Arof**
220 gr/m², 100% Polyester, Warp Knit Fabric

2 **Arof | File**
55 gr/m², 100% Polyester, 3*1 Mesh Fabric

3 **Arof | Mesh 2*2**
55 gr/m², 100% Polyester, 2*2 Mesh Fabric



ArSport

Knit Interlock Polyester Fabrics for T-Shirts

EN 20471

High Visibility

1975

ARITEKS

FUNCTION FOR FLEXIBLE FABRICS

Phone: +90 212 538 05 98
Fax: +90 212 537 08 46
E-Mail: support@ariteksinfo.com
Web: www.ariteks.net

CONTENT

1 **ArSport**
140 gr/m2, 100% Polyester, Interlock Knit Fabric

2 **ArSport X**
170 gr/m2, 100% Polyester, Bird Eye Knit Fabric



ArMoto



Heavy Warp Knit Fabrics
for Shoes and Wind Jackets

1975
ARITEKS
FUNCTION FOR FLEXIBLE FABRICS

Phone: +90 212 538 05 98
Fax: +90 212 537 08 46
E-Mail: support@ariteksinfo.com
Web: www.ariteks.net

CONTENT

1 **ArMoto**
240 gr/m², 100% Polyester, Wind Jacket Fabric

2 **ArMoto Dura**
240 gr/m², 100% Pa 6.6, Warp Knit Fabric



ArHard Mesh

Heavy Mesh Fabrics

1975
ARITEKS
FUNCTION FOR FLEXIBLE FABRICS

Phone: +90 212 538 05 98
Fax: +90 212 537 08 46
E-Mail: support@ariteksinfo.com
Web: www.ariteks.net

CONTENT

1 **ArHard Mesh**
420 gr/m2, 100% Polyester, Mesh Fabric

2 **ArHard Mesh 300**
300 gr/m2, 100% Polyester, Mesh Fabric

TRANSPORT

1975

ARITEKS

FUNCTION FOR FLEXIBLE FABRICS



ArSeat

Warp Knit Fabrics for Upholstery and Shoes



1975
ARITEKS
FUNCTION FOR FLEXIBLE FABRICS

Phone: +90 212 538 05 98
Fax: +90 212 537 08 46
E-Mail: support@ariteksinfo.com
Web: www.ariteks.net

CONTENT

1 **ArSeat**
150 gr/m², 100% Polyester, Pique Knit Fabric

2 **ArSeat Eco**
120 gr/m², 100% Polyester, Pique Knit Fabric

3 **ArSeat Touch**
150 gr/m², 100% Polyester, Microalcantara one side fleece knit fabric

ArAir Mesh

3D Fabrics Series









1975
ARITEKS
FUNCTION FOR FLEXIBLE FABRICS

Phone: +90 212 538 05 98
Fax: +90 212 537 08 46
E-Mail: support@ariteksinfo.com
Web: www.ariteks.net

CONTENT

1 **ArAir | Mesh AA 250**
250 gr/m², 100% Polyester, Air Mesh Fabric

2 **ArAir | Mesh AA 150**
150 gr/m², 100% Polyester, Air Mesh Fabric

3 **ArAir | Mesh BB**
250 gr/m², 100% Polyester, Hard Air Mesh Fabric

4 **ArAir | Mesh Bond**
230 gr/m², 100% Polyester, Air Mesh Open Structure Fabric

ArBayrak



Car Warning Tripod
Fluorescent Fabrics

1975
ARITEKS
FUNCTION FOR FLEXIBLE FABRICS

Phone: +90 212 538 05 98
Fax: +90 212 537 08 46
E-Mail: support@ariteksinfo.com
Web: www.ariteks.net

CONTENT

1 **ArBayrak**
120 gr/m2, 100% Polyester, Flag Fabric



ARITEKS

1975

FUNCTION FOR FLEXIBLE FABRICS

PACKAGE



ArDura

High Tenacity Polyamide Fabrics For Military Equipments

EN 4920

Water and Oil Repellent

EN 343

Waterproof

1975
ARITEKS
FUNCTION FOR FLEXIBLE FABRICS


Phone: +90 212 538 05 98
Fax: +90 212 537 08 46
E-Mail: support@ariteksinfo.com
Web: www.ariteks.net

CONTENT

1 **ArDura 500** ..... EN 4920 EN 343
240 gr/m², 100% Pa 6.6

2 **ArDura 1000** ..... EN 4920 EN 343
350 gr/m², 100% Pa 6.6

Wash E ect Fabrics (Antique)



Indigo Dyed Knit Fabrics



Cotton Fabrics & Mixtures



Viscose/Vortex/Tencel Fabrics




Velvet Fabrics



Functional Technical Textiles



Modal Fabrics & Mixtures



Linen Fabrics



Metallic Coated Knit Fabrics



Ribs Fabrics



Acrylic Polyamide Acetate Fabrics




Jacquard Fabrics




Mercerised Fabrics



Fleece and Futter Fabrics



Interlock Fabrics



100% Cotton Fluorescent Fabrics



Apparel Knit Fabrics

1975

ARITEKS

FUNCTION FOR FLEXIBLE FABRICS

Fashion Fabrics



Technical Fabrics

BUILDING	HOME	PROTECTION	MEDICAL	SPORT	TRANSPORT
GEOLOGY	PACKAGE	CLOTH	AGRICULTURE	ENVIRONMENT	MACHINE

Headquarters
Hekimsuyu Cad. No:36
Kucukkoy/Gaziosmanpasa 34250 Istanbul/Turkey
Phone: +90 212 538 05 98-99
Fax: +90 212 537 08 46
E-Mail: support@ariteksinfo.com
Web: www.ariteks.net

Factory
Velimese OSB Mah. Haci Seramet 5.Sokak, No:9/9
Yulafli/Corlu 59850 Tekirdag/Turkey
Phone: +90 282 676 41 90
Fax: +90 282 676 46 13
E-Mail: support@ariteksinfo.com
Web: www.ariteks.net